

From: Barbara Berwick <bberwick@hawthorneacademy.org>
Sent: Tuesday, January 7, 2020 1:31 PM
To: Monroe, Pamela <Pamela.Monroe@sec.nh.gov>
Subject: Re: This is our house now

EXTERNAL: Do not open attachments or click on links unless you recognize and trust the sender.

Thank you Pam, I really appreciate your help.

On Tue, Jan 7, 2020 at 1:10 PM Monroe, Pamela <Pamela.Monroe@sec.nh.gov> wrote:

Dear Ms. Berwick—

Thank you for forwarding your concerns to me. I will review the conditions in the Certificate and get back to you as to where things stand no later than Friday.

Sincerely,

Pam

Pamela G. Monroe

Administrator

Site Evaluation Committee

21 S. Fruit Street, Suite 10

Concord, NH 03301-2429

Phone 603-271-2435

Fax 603-271-3878

Pamela.monroe@sec.nh.gov

<http://www.nhsec.nh.gov/index.htm>

From: Barbara Berwick <bberwick@hawthorneacademy.org>
Sent: Tuesday, January 7, 2020 12:55 PM
To: Ethan Mollasalehi <Ethan_Mollasalehi@transalta.com>; Bob Edwards <rl Edwardsbos@gmail.com>;
Monroe, Pamela <Pamela.Monroe@sec.nh.gov>
Subject: Re: This is our house now

EXTERNAL: Do not open attachments or click on links unless you recognize and trust the sender.


Ms. Munroe,

Please see my previous emails and the response I received. The sound that these windmills are creating at night is unbelievable, I measured the sound at over 70 decibels, and it is every night and it is not a steady sound that perhaps we could get used to. At the hearing we, abutters, asked how we would be protected if we were experiencing sound or flicker greater than that anticipated and I believe we were told to contact our selectmen or the SEC. The answer I received is basically saying that they will not test until the scheduled time. That is not what we were told at the hearing. I can assure you that what we are experiencing is over the limit and I am officially requesting that a testing be done. I truthfully had hoped that my friends who assured us that the sound would not be an issue would be right. I will attach a screenshot I took, and if you want, I will take a sound reading every night and send it along. I truly hope that you can help us, if they are sure that the sound is not exceeding the 40 decibels then there is no reason to not be willing to run the test. Thank you for your help, Sincerely,

Barbara Berwick

72 Reed Carr Road

Antrim NH 03440



On Tue, Jan 7, 2020 at 11:50 AM Ethan Mollasalehi <Ethan_Mollasalehi@transalta.com> wrote:

Hello Barbara,

Thanks for reaching out regarding this.

The agreement with the Town of Antrim (amended on 2018-01-16) describes the sound level limits that apply to the wind farm at receptors (the exterior facades of homes). Per this agreement, the sound from Antrim Wind farm during Operations shall not exceed the greater of 45 dBA or 5 dBA above background levels (measure at the L90 level) between the hours of 8:00 AM and 8:00 PM and the greater of 40 dBA or 5 dBA above background levels (measured at the

L90 level) at all other times. Compliance to those levels has been demonstrated through the sound assessment report submitted during the project's application.

Additionally, and per the Certificate from NHSEC and per the agreement mentioned above, we are planning to conduct four (4) noise measurements this year, one each season. It is intended to perform the first one before March 24, 2020. The final report of each measurements will be submitted to the town within 30 days of its receipt by Antrim Wind Energy/TransAlta.

Thanks

Ethan

Ethan Mollasalehi, P.Eng., PhD

Plant Engineer- Wind and Solar

Operations Lead- Antrim Wind and US Solar

TRANSALTA CORPORATION

T: +1 (519) 840-0836 | C: +1 (416) 807-4805

[Email](#) | [Web](#) | [Facebook](#) | [Twitter](#)

CONFIDENTIALITY NOTICE: This email is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person.

From: Donna Hanson <antrimbiz@tds.net>
Sent: Sunday, December 29, 2019 4:12 PM
To: Ethan Mollasalehi <Ethan_Mollasalehi@transalta.com>
Subject: FW: This is our house now

EXTERNAL EMAIL:

This email originated from outside TransAlta. Do not click on links or open

attachments, unless you recognize the sender and know the content is safe.
Report suspicious emails to IT Security.

Hello Ethan,

Please see the attached email. Please let me know the status of the complaint.

Thank you,

Donna

From: Robert Edwards [<mailto:rledwardsbos@gmail.com>]
Sent: Sunday, December 29, 2019 3:39 PM
To: Barbara Berwick; Donna
Subject: Re: This is our house now

Thanks Barbara. Let us check into this and respond to you. I'm copying Donna too for the record. Thank you. Bob

On Sat, Dec 28, 2019 at 8:54 PM Barbara Berwick <bberwick@hawthorneacademy.org> wrote:

I have in my head that there was some promise that there machines would only create noise in the 40decible range. I truly cant believe how noisy they are. All the time, but especially the last 2 nights. I used a decimeter on my phone, outside right now. No other noises, no tv, nothing, the sounds comes into the house even with all the windows and doors shut . This is all from the windmills. I believe we need to go through the selectman to ask them to officially measure the sound.Would you please ask them to do that? Thank you.

--

Barbara Berwick - Interim Director

Hawthorne Academy

100 Old North Branch Rd

Antrim, NH 03440

(603) 588-6800 (school phone- leave message if no answer)

(603) 933-3461 (cell phone- call anytime)

bberwick@hawthorneacademy.org

Striving for Wisdom

Growing in Knowledge

Preparing to Serve the World for God's Glory

This email is intended solely for the person to which it is addressed and may contain confidential information. Any review, dissemination, copying, printing or other use of this email by another other person other than the addressee is prohibited. If you receive this email in error please notify me immediately and delete this email from your computer. Thank you.

--

Barbara Berwick - Interim Director

Hawthorne Academy

100 Old North Branch Rd

Antrim, NH 03440

(603) 588-6800 (school phone- leave message if no answer)

(603) 933-3461 (cell phone- call anytime)

bberwick@hawthorneacademy.org

Striving for Wisdom

Growing in Knowledge
Preparing to Serve the World for God's Glory

This email is intended solely for the person to which it is addressed and may contain confidential information. Any review, dissemination, copying, printing or other use of this email by another other person other than the addressee is prohibited. If you receive this email in error please notify me immediately and delete this email from your computer. Thank you.