

**From:** Miller, Nadine <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>  
**Sent:** Thursday, September 19, 2019 9:41 AM  
**To:** 'Kenline-Nyman, Brooke E' <[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)>; Lefebvre, Lindsey E CIV USARMY CENAE (US) <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>  
**Cc:** Monroe, Pamela <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>; Trubey, David <[David.Trubey@dncr.nh.gov](mailto:David.Trubey@dncr.nh.gov)>; Labash, Marika <[Marika.Labash@dncr.nh.gov](mailto:Marika.Labash@dncr.nh.gov)>  
**Subject:** RE: Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

Dear Brooke:

Thank you for revising the above-referenced report in consideration of the DHR's comments. We have no additional concerns at this time and concur that the action, as proposed, would have **No Adverse Effect** to the Newington Historic District (including the Frink Property). However, should unexpected issues arise, please contact the DHR to resolve any adverse effects that may occur.

Sincerely,  
Nadine Miller

---

Nadine Miller  
Deputy State Historic Preservation Officer  
NH Division of Historical Resources  
NH Department of Natural and Cultural Resources  
603-271-6628  
[www.nh.gov/nhdhr](http://www.nh.gov/nhdhr)

*Working together to preserve and celebrate New Hampshire's irreplaceable historic resources.*

**From:** Kenline-Nyman, Brooke E <[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)>  
**Sent:** Wednesday, September 18, 2019 11:12 AM  
**To:** Miller, Nadine <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>; Lefebvre, Lindsey E CIV USARMY CENAE (US) <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>  
**Cc:** Monroe, Pamela <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>; Trubey, David <[David.Trubey@dncr.nh.gov](mailto:David.Trubey@dncr.nh.gov)>  
**Subject:** RE: Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

**EXTERNAL:** Do not open attachments or click on links unless you recognize and trust the sender.

---

Ms. Miller and Ms. Lefebvre-

Please see the attached revised letters notifying the New Hampshire Division of Historical Resources and the United States Army Corps of Engineers of proposed blasting in the Newington Center Historic District along with a set of actions to avoid adverse impacts to historic structures. This letter was revised after a meeting between Ms. Miller and Ms. Kenline-Nyman on September 17, 2019. Notable updates include

the installation of tell-tale crack monitors, if necessary, sending a notification letter to the Newington Historic District Commission, and underscoring the fact that the Frinks will have the contact information of an Eversource point of contact to whom they may report any potential damage caused by the blasting or any other concerns they may have.

Please let me know if you have any comments or concerns.

Hard copies of the final versions of this letter will follow.

Thank you.

Brooke Kenline-Nyman, M.A., RPA  
Cultural Resource Specialist



13 Legends Drive  
Hooksett, NH 03106  
603-634-2147 (office)  
603-717-5198 (cell)  
[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)

**From:** Kenline-Nyman, Brooke E  
**Sent:** Tuesday, September 10, 2019 4:29 PM  
**To:** 'Miller, Nadine' <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>; 'Lefebvre, Lindsey E CIV USARMY CENAE (US)' <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>  
**Cc:** 'Monroe, Pamela' <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>  
**Subject:** Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

Ms. Miller and Ms. Lefebvre-

Please see the attached letter notifying the New Hampshire Division of Historical Resources and the United States Army Corps of Engineers that Eversource Energy (Eversource) is proposing a construction plan change in the vicinity of a previously identified historic property. Specifically, the use of rock excavation/blasting is proposed within the right-of-way in the NRHP-listed Newington Center Historic District (the "District"), approximately 525 feet from the very northern edge of the Frink Farm garage, the closest contributing structure. This rock excavation is necessary to install the underground portion of the transmission line, which was carefully designed to minimize visual impacts of the Project on the District.

In order to avoid any adverse impacts to the historic structures, Eversource proposes several actions prior to, during, and after rock excavation including a pre-blast condition survey, the implementation of a vibration monitoring plan, and a post-blast condition survey, if necessary. Specific steps to be taken are outlined in the attached documents.

Eversource is requesting input on these proposed actions to avoid adverse effects to the Newington Center Historic District. Hard copies of this document will follow.

Please reach out with any questions or comments. Thank you!

Brooke Kenline-Nyman, M.A., RPA  
Cultural Resource Specialist



13 Legends Drive  
Hooksett, NH 03106  
603-634-2147 (office)  
603-717-5198 (cell)  
[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)

---

This electronic message contains information from Eversource Energy or its affiliates that may be confidential, proprietary or otherwise protected from disclosure. The information is intended to be used solely by the recipient(s) named. Any views or opinions expressed in this message are not necessarily those of Eversource Energy or its affiliates. Any disclosure, copying or distribution of this message or the taking of any action based on its contents, other than by the intended recipient for its intended purpose, is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete it from your system. Email transmission cannot be guaranteed to be error-free or secure or free from viruses, and Eversource Energy disclaims all liability for any resulting damage, errors, or omissions.

**From:** Miller, Nadine <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>

**Sent:** Thursday, September 19, 2019 9:41 AM

**To:** 'Kenline-Nyman, Brooke E' <[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)>; Lefebvre, Lindsey E CIV USARMY CENAE (US) <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>

**Cc:** Monroe, Pamela <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>; Trubey, David <[David.Trubey@dncr.nh.gov](mailto:David.Trubey@dncr.nh.gov)>; Labash, Marika <[Marika.Labash@dncr.nh.gov](mailto:Marika.Labash@dncr.nh.gov)>

**Subject:** RE: Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

Dear Brooke:

Thank you for revising the above-referenced report in consideration of the DHR's comments. We have no additional concerns at this time and concur that the action, as proposed, would have **No Adverse Effect** to the Newington Historic District (including the Frink Property). However, should unexpected issues arise, please contact the DHR to resolve any adverse effects that may occur.

Sincerely,  
Nadine Miller

---

Nadine Miller

Deputy State Historic Preservation Officer  
NH Division of Historical Resources  
NH Department of Natural and Cultural Resources  
603-271-6628  
[www.nh.gov/nhdhr](http://www.nh.gov/nhdhr)

*Working together to preserve and celebrate New Hampshire's irreplaceable historic resources.*

**From:** Kenline-Nyman, Brooke E <[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)>  
**Sent:** Wednesday, September 18, 2019 11:12 AM  
**To:** Miller, Nadine <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>; Lefebvre, Lindsey E CIV USARMY CENAE (US) <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>  
**Cc:** Monroe, Pamela <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>; Trubey, David <[David.Trubey@dncr.nh.gov](mailto:David.Trubey@dncr.nh.gov)>  
**Subject:** RE: Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

**EXTERNAL:** Do not open attachments or click on links unless you recognize and trust the sender.

---

Ms. Miller and Ms. Lefebvre-

Please see the attached revised letters notifying the New Hampshire Division of Historical Resources and the United States Army Corps of Engineers of proposed blasting in the Newington Center Historic District along with a set of actions to avoid adverse impacts to historic structures. This letter was revised after a meeting between Ms. Miller and Ms. Kenline-Nyman on September 17, 2019. Notable updates include the installation of tell-tale crack monitors, if necessary, sending a notification letter to the Newington Historic District Commission, and underscoring the fact that the Frinks will have the contact information of an Eversource point of contact to whom they may report any potential damage caused by the blasting or any other concerns they may have.

Please let me know if you have any comments or concerns.

Hard copies of the final versions of this letter will follow.

Thank you.

Brooke Kenline-Nyman, M.A., RPA  
Cultural Resource Specialist



13 Legends Drive  
Hooksett, NH 03106  
603-634-2147 (office)  
603-717-5198 (cell)  
[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)

**From:** Kenline-Nyman, Brooke E  
**Sent:** Tuesday, September 10, 2019 4:29 PM  
**To:** 'Miller, Nadine' <[Nadine.Miller@dncr.nh.gov](mailto:Nadine.Miller@dncr.nh.gov)>; 'Lefebvre, Lindsey E CIV USARMY CENAE (US)' <[Lindsey.E.Lefebvre@usace.army.mil](mailto:Lindsey.E.Lefebvre@usace.army.mil)>  
**Cc:** 'Monroe, Pamela' <[Pamela.Monroe@sec.nh.gov](mailto:Pamela.Monroe@sec.nh.gov)>; Barthel, Philip <[philip.barthel@eversource.com](mailto:philip.barthel@eversource.com)>; Cardin, Matthew R <[matthew.cardin@eversource.com](mailto:matthew.cardin@eversource.com)>  
**Subject:** Eversource Seacoast Reliability Project (DHR RPR#6528; NAE-2015-00665) Cultural Resources Notification

Ms. Miller and Ms. Lefebvre-

Please see the attached letter notifying the New Hampshire Division of Historical Resources and the United States Army Corps of Engineers that Eversource Energy (Eversource) is proposing a construction plan change in the vicinity of a previously identified historic property. Specifically, the use of rock excavation/blasting is proposed within the right-of-way in the NRHP-listed Newington Center Historic District (the "District"), approximately 525 feet from the very northern edge of the Frink Farm garage, the closest contributing structure. This rock excavation is necessary to install the underground portion of the transmission line, which was carefully designed to minimize visual impacts of the Project on the District.

In order to avoid any adverse impacts to the historic structures, Eversource proposes several actions prior to, during, and after rock excavation including a pre-blast condition survey, the implementation of a vibration monitoring plan, and a post-blast condition survey, if necessary. Specific steps to be taken are outlined in the attached documents.

Eversource is requesting input on these proposed actions to avoid adverse effects to the Newington Center Historic District. Hard copies of this document will follow.

Please reach out with any questions or comments. Thank you!

Brooke Kenline-Nyman, M.A., RPA  
Cultural Resource Specialist



13 Legends Drive  
Hooksett, NH 03106  
603-634-2147 (office)  
603-717-5198 (cell)  
[brooke.kenline-nyman@eversource.com](mailto:brooke.kenline-nyman@eversource.com)

---

This electronic message contains information from Eversource Energy or its affiliates that may be confidential, proprietary or otherwise protected from disclosure. The information is intended to be used solely by the recipient(s) named. Any views or opinions expressed in this message are not necessarily those of Eversource Energy or its affiliates. Any disclosure, copying or

distribution of this message or the taking of any action based on its contents, other than by the intended recipient for its intended purpose, is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete it from your system. Email transmission cannot be guaranteed to be error-free or secure or free from viruses, and Eversource Energy disclaims all liability for any resulting damage, errors, or omissions.