

TO: THE N.H. SEC
ATTN: Pamela Munroe

RE: Northern Pass Transmission Line

REBUTTAL:

Applicants to intervene: Charles and Donna Jordan, 647 West Road, Clarksville, NH

The applicant's law firm, which filed a motion to reject non-abutters, and others, has incorrectly listed our names as non-abutters not within 100 feet of the Northern Pass transmission line.

As per our application to intervene, we own 6 acres of land on Old County Road in Clarksville, at the intersections with Clarksville Pond Road and Rte. 145. In addition, the original spring to our homestead property is still available for our use should we need it, and that spring is located directly next to Old County Road, which is where Northern Pass Transmission Line is proposing to bury a portion of its project. (See applicant's Exhibit A, Abutting Property Owners and Non-Abutting Property Owners Within One Hundred Feet of the Project).

IN ADDITION: the project is proposed to run for several miles through the town of Clarksville, which the law firm has failed to include in its list of "Town Governing Bodies."

We take issue with the applicants rebuttal and urge that it be rejected because it is not accurate nor complete.

Donna Jordan

Donna Jordan
The Colebrook Chronicle
PO Box 263
Colebrook, NH 03576

(603) 246-8998

Downtown Colebrook location:
82 Main Street

www.colebrookchronicle.com